S27	S26	S25	S24	S22	# Ref
56	104	142	4	2	Hits
S26 and modulat\$4	S25 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")	(((consecut\$4 or sequent\$4 or successive or contin\$5) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link)) adj quality))) with ("same" or identical or match\$4 or equal or equivalent or consistent or constant unchang\$4 or steady or uniform))	"20030036361" or "6253063".pn.	"20050255807"	Search Query
US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	DBs
Ş.	Q _R	O _R	OR	OR	Default Operator
Q.	9 S	Q.	N _O	ON	Plurals
2006/10/05 12:59	2006/10/10 10:01	2006/10/05 12:59	2006/10/04 10:12	2006/10/05 14:57	Time Stamp

S33 2612 (S32 68 S	S31 100 S	S30 1649 (a	S29 4873 (t	S28 13 S
(record\$4 or stor\$4) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link)) adj quality))	S31 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")	S29 and S30	(averag\$4) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link)) adj quality))	(base adj station) and (downlink or (down adj link)) and ((position\$4 or locat\$4) with mobile)	S27 and (base adj station)
US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT;	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB
Q _R	OR.	Q.	O _R	OR	S
Q	O Z	Q	Q	N N	ON .
2006/10/04 16:33	2006/10/04 16:30	2006/10/04 15:01	2006/10/04 16:27	2006/10/04 16:30	2006/10/05 12:59

2006/10/04 16:29	Q	S	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	(record\$4 or stor\$4) with ((channel adj quality) or (BER) or (bit adj error adj rate) or (downlink or (down adj link)) or (date adj rate) or quality)	123733	S39
2006/10/04 16:29	O _N	О _Р	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	41 (averag\$4) with ((channel adj quality) or (BER) or (bit adj error adj rate) or (downlink or (down adj link)) or (date adj rate) or quality)	18741	S38
2006/10/04 16:35	ON	Q _R	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	2 S36 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")	N	S37
2006/10/04 15:12	ON	Q _R	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	13 S30 and S35	13	S36
2006/10/04 15:12	Q N	Я Я	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	76 S29 and (adaptive adj modulat\$4)	176	S35
2006/10/04 15:02	SN SN	OR	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	7 S32 and S33	7	S34

S44 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")

S51	S50	S49	S48	S47	
496	4	79	229	290	
(judg\$4 or decid\$4 or compar\$5) with (averag\$4) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link))) or (data adj rate) or (error adj rate))	S49 and modulat\$4	S48 and (base adj station)	S47 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")	(((consecut\$4 or sequent\$4 or successive or contin\$5) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link))))) with ("same" or identical or match\$4 or equal or equivalent or consistent or constant unchang\$4 or steady or uniform))	
US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	USOCR
S	O _R	Q _R	Q _R	Q.	
Q	Q	Q	Q	Q	_
2006/10/10 10:01	2006/10/05 13:01	2006/10/10 09:57	2006/10/05 12:59	2006/10/05 12:59	

S57	S56	S55	S54	S53	S52
29	И	13	27	151	192
(judg\$4 or decid\$4 or compar\$5) with (averag\$4) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link))) or (data adj rate) or (error adj rate) or (amount near2 stor\$5)) with (select\$4 or choos\$4 or pick\$4)	S55 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")	S54 and ((base adj station) or basestation)	(judg\$4 or decid\$4 or compar\$5) with (averag\$4) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link))) or (data adj rate) or (error adj rate)) with (select\$4 or choos\$4 or pick\$4)	S52 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")	S51 and ((base adj station) or basestation)
US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB
O _R	O _R	OR.	OR	Я	S
ON ON	O _N	O _N	ON	ON	O _N
2006/10/10 12:15	2006/10/10 12:17	2006/10/10 11:17	2006/10/10 12:11	2006/10/10 10:03	2006/10/10 10:03

S63	S62	S61	S60	S59	S58
51	676	-	2	2	13
((base adj station) or basestation) and ((compar\$5) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link))) or (data adj rate) or (error adj rate) or RSSI or (signal adj strength)) with ((predetermin\$4 or fix\$3)) near2 (point or time))	((base adj station) or basestation) and ((compar\$5) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link))) or (data adj rate) or (error adj rate) or RSSI or (signal adj strength)) with (predetermin\$4 or fix\$3))	(judg\$4 or decid\$4 or compar\$5) with (averag\$4) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link))) or (data adj rate) or (error adj rate) or RSSI or (signal adj strength)) with (select\$4 or choos\$4 or pick\$4) with (amount near2 stor\$5)	S59 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")	S57 not S54	S57 and ((base adj station) or basestation)
US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB
OR	O _R	OR.	OR.	О _Р	OR
ON	O _N	ON	Q	Q	O _N
2006/10/10 12:32	2006/10/10 12:16	2006/10/10 12:15	2006/10/10 11:33	2006/10/10 11:33	2006/10/10 11:17

O _N	SPUB; OR T; OR JPO; JPO; JPO; OR JPO;	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT;	3 S65 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")	S66
9	O _R	i link))) US-PGPUB; with FPRS; ng\$4 or DERWENT; IBM_TDB	8 ((base adj station) or basestation) and (((compar\$5) with ((channel adj quality) or (BER) or (bit adj error adj rate) or ((downlink or (down adj link))) or (data adj rate) or (error adj rate) or RSSI or (signal adj strength)) with ((predetermin\$4 or fix\$3)) near2 (point or time)) same (var\$4 or chang\$4 or modif\$4))	S65
9	S	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	34 S63 and (@rlad<"20030408" or @ad<"20030408" or @ptad<"20030408")	S64